


**1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**
**Identification of the substance or preparation:**

 Name: **GYPTIS**

Product code: AFD

**Company/undertaking identification:**

Registered company name: MAP YACHTING.

Address : ZI ATHELIA IV – 296 Av de la Tramontane – 13705 LA CIOTAT - France.

 Telephone : 33 (0)4 42 98 14 50 Fax :33 (0)4 42 98 14 51. Email : [sales@map-yachting.com](mailto:sales@map-yachting.com)
**Emergency telephone:** 01 45 42 59 59.

Association/Organisation: ORFILA

**2 - COMPOSITION/INFORMATION ON INGREDIENTS**
*Full text of risk phrases appearing in section 2: see section 16.*
**Hazardous substances present on their own:**
*(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)*

INDEX	CAS	EC	Name	Symb.	R:	%
029-002-00-X	1317-39-1	215-270-7	DICOPPER OXIDE	Xn N	50/53 22	25 <= x % < 50

**Other substances representing a hazard:**

INDEX	CAS	EC	Name	Symb.	R:	%
601-022-00-9	1330-20-7	215-535-7	O-XYLENE	Xn	10 38 20/21	2.5 <= x % < 10
601-043-00-3	95-63-6	202-436-9	1,2,4-TRIMETHYLBENZENE	Xn N	10 36/37/38 51/53 20	2.5 <= x % < 10
650-015-00-7	8050-09-7	232-475-7	ROSIN	Xi	43	2.5 <= x % < 10
A008	68937-41-7	2730663	TRIARYLPHOSPHATES ISOPROPYLIQUES	N	51/53	2.5 <= x % < 10
A021	14915-37-8	236-671-3	PYRITHIONE DE CUIVRE	T	41 38 23 22	0 <= x % < 2.5

**Substances present at a concentration below the minimum danger threshold:**

INDEX	CAS	EC	Name	Symb.	R:	%
601-024-00-X	98-82-8	202-704-5	CUMENE	Xn N	10 37 51/53 65	0 <= x % < 2.5
601-025-00-5	108-67-8	203-604-4	MESITYLENE	Xi N	10 37 51/53	0 <= x % < 2.5

**Other substances with occupational exposure limits:**

No known substance in this category present.

**Other components:**

INDEX	CAS	EC	Name	Symb.	R:	%
649-356-00-4	64742-95-6	265-199-0	SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.	Xn	65	2.5 <= x % < 10

**3 - IDENTIFICATION OF HAZARDS**

This product is classed: Flammable.

Possibility of skin sensitisation. The preparation may also irritate the skin and prolonged contact may aggravate this effect.

Possibility of noxious effects with symptoms of slight poisoning by inhalation and swallowing.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**4 - FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

**In the event of exposure by inhalation:**

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

Do not give the patient anything orally.

**In the event of splashes or contact with eyes:**

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.



Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

**In the event of splashes or contact with skin:**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners.

**In the event of swallowing:**

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep still. DO NOT induce vomiting.

Consult a doctor and show him the label.

If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

---

**5 - FIRE-FIGHTING MEASURES**

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

**Suitable extinguishing media:**

Carbon dioxide, chemical powders, foams, and other extinguishing gases.

In the event of fire, use specifically suitable extinguishing agents. Never use water.

**Extinguishing media which must not be used for safety reasons:**

Water is not generally recommended since it can be ineffective; however, it can be used successfully to cool containers exposed to the fire and to disperse fumes.

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

**Special protective equipment for fire-fighters:**

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

---

**6 - ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

On account of the organic solvents contained in the preparation, eliminate sources of ignition and ventilate the premises.

Avoid inhaling the vapors.

Consult the safety measures listed under headings 7 and 8.

**Environmental precautions:**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

**Methods for cleaning up:**

Clean preferably with a detergent, do not use solvents.

---

**7 - HANDLING AND STORAGE**

The regulations relating to storage premises apply to workshops where the product is handled.

Anyone with a history of skin sensitisation must on no account handle such products

**Handling:**

Handle in well-ventilated areas.

The vapors are denser than air. They can spread along the ground and form explosive mixtures with air

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

**Fire prevention:**

Prevent the accumulation of electrostatic charges with connections to earth

The preparation may become electrostatically charged; always place on the ground during transfer. Wear antistatic shoes and clothes and make floors of conductive materials.

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.



Prevent access by unauthorised personnel.

**Recommended equipment and procedures:**

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Packages which have been opened must be reclosed carefully and stored in an upright position

Avoid inhaling vapors.

Avoid contact of product with the skin and eyes

**Prohibited equipment and procedures:**

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

**Storage:**

Keep the container tightly closed in a dry place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

**8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

Use personal protection equipment as per Directive 89/686/EEC.

Anyone with a history of skin sensitisation must on no account handle such products.

**Technical measures:**

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

If this ventilation is insufficient to maintain the concentration of solvent vapors below the exposure limits, wear breathing apparatus

**Exposure limit values per INRS ND 2098-174-99 and ND 2114-176-99:**

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
8050-09-7	-	0,1	-	-	-	65,66
95-63-6	-	-	-	-	-	-
108-67-8	-	-	-	-	-	-
98-82-8	50	245	-	-	*	84
1330-20-7	100	435	150	650	-	4 Bis,84
Germany	Class:	MAK-ppm:	MAK-mg/m3:	Notes:	Notes:	
8050-09-7	-	-	-	Sens		
95-63-6	-	-	-	-		
108-67-8	-	-	-	-		
98-82-8	II,2	50	250	C,*		
1330-20-7	II,1	100	440	D,*		
ACGIH(TLV)	TWA-ppm:	TWA-mg/m3:	STEL-ppm:	STEL-mg/m3:	Notes:	Notes :
8050-09-7	Sens. réduire l'exposition au min.					
95-63-6	-	-	-	-	-	-
108-67-8	-	-	-	-	-	-
98-82-8	50	246	-	-	(*)	-
1330-20-7	100	434	150	651	A4	S

**Exposure limit values per 2000/39/EC and 98/24/EC:**

CE	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:
95-63-6	20	100	-	-	-
108-67-8	20	100	-	-	-
98-82-8	20	100	50	250	peau
1330-20-7	100	434	150	651	peau

**Exposure limit values (2003):**

UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
95-63-6	25 ppm	-	-	-	-
108-67-8	25 ppm	-	-	-	-
98-82-8	25 ppm	50 ppm	-	-	-
1330-20-7	50 ppm	100 ppm	-	-	-



**Respiratory protection:**

With this preparation, avoid in particular any inhalation of vapors.

**Hand protection:**

Protective creams may be used for exposed skin, but they should not be applied after contact with the product. Due to the solvents present, it is recommended that polyvinyl alcohol or nitrile rubber gloves be worn.

**Eye and face protection:**

Use eye protectors designed to protect against liquid splashes

**Skin protection:**

For further information, see § 11 of S.D.S. - Toxicological information.

---

**9 - PHYSICAL AND CHEMICAL PROPERTIES**

Density:	> 1
Acid/base character of preparation:	not relevant.
Solubility of preparation in water:	Insoluble.
Vapour tension at 50°C of volatile constituents:	Below 110 kPa (1.10 bar).
Physical state:	viscous liquid
Flash point interval:	23°C. < Flash point: <= 55°C.
The pH is impossible to measure or its value is not relevant.	
Self-ignition temperature:	not specified.
Decomposition temperature:	not specified.
Melting temperature interval:	not specified.
Average distillation temperature of solvents contained:	152 °C.

---

**10 - STABILITY AND REACTIVITY**

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

---

**11 - TOXICOLOGICAL INFORMATION**

No data is available regarding the preparation itself.

Exposure to vapors from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as:

Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage

It is generally agreed that substances contained are likely to cause, among certain predisposed subjects, a sensitisation reaction by cutaneous route

---

**12 - ECOLOGICAL INFORMATION**

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

**Ecotoxicity:**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

**13 - DISPOSAL CONSIDERATIONS**

Do not pour into drains or waterways.

**Waste:**

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging:**



Empty container completely. Keep label(s) on container.  
Give to a certified disposal contractor.

**14 - TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).

UN1263=PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.
	3	F1	III	3	30	LQ7	163-650-640E



Not subject to this regulation if Q < 450l.

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.
	3	-	III	5 L	F-E,S-E	163 223 944 955

Not subject to this regulation if Q < 30l  
Marine Polluant PP



IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note
	3	-	III	309	60 L	310	220 L	A3 A72
	3	-	III	Y309	10 L	-	-	-

**15 - STATUTORY INFORMATION**

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

**Preparation classification:**

Harmful. Dangerous for the environment. Flammable.



**Contains:**

029-002-00-X	DICOPPER OXIDE
601-022-00-9	O-XYLENE
601-043-00-3	1,2,4-TRIMETHYLBENZENE
650-015-00-7	ROSIN

**Particular hazards associated with the preparation and safety recommendations:**

R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 43	May cause sensitization by skin contact.
R 20/22	Harmful by inhalation and if swallowed.
R 10	Flammable.
S 2	Keep out of reach of children.
S 24	Avoid contact with skin.
S 29	Do not empty into drains.



- S 37                      Wear suitable gloves.  
S 46                      If swallowed, seek medical advice immediately and show this container or label.  
S 13                      Keep away from food, drink and animal feedingstuffs.  
S 23                      Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
S 51                      Use only in well ventilated areas.

---

**16 - OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

N/A

**Full text of risk phrases appearing in section 2:**

- R 10                      Flammable.  
R 20                      Harmful by inhalation.  
R 20/21                      Harmful by inhalation and in contact with skin.  
R 22                      Harmful if swallowed.  
R 23                      Toxic by inhalation.  
R 36/37/38                      Irritating to eyes, respiratory system and skin.  
R 37                      Irritating to respiratory system.  
R 38                      Irritating to skin.  
R 41                      Risk of serious damage to eyes.  
R 43                      May cause sensitization by skin contact.  
R 50/53                      Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R 51/53                      Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R 65                      Harmful. may cause lung damage if swallowed.