



## 1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Identification of the substance or preparation:

Name: **ISIS NOIR.**

### Company/undertaking identification:

Registered company name: MAP YACHTING.

Address : ZI ATHELIA IV – 296 Av de la Tramontane – 13705 LA CIOTAT - France.

Telephone : 33 (0)4 42 98 14 50 Fax :33 (0)4 42 98 14 51. Email : [sales@map-yachting.com](mailto:sales@map-yachting.com)

**Emergency telephone:** 01 45 42 59 59.

Association/Organisation: ORFILA

## 2 - COMPOSITION/INFORMATION ON INGREDIENTS

*Full text of risk phrases appearing in section 2: see section 16.*

### Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

INDEX CAS EC Name Symb. R: %

601-022-00-9 1330-20-7 215-535-7 XYLENE Xn 10 38 20/21 25 <= x % < 50

### Other substances representing a hazard:

INDEX CAS EC Name Symb. R: %

650-015-00-7 8050-09-7 232-475-7 ROSIN Xi 43 2.5 <= x % < 10

A007 64359-81-5 2648438 4,5

DICHLORO-2-N-OCTYL-4-ISOTHIAZ

OLE-3-ONE

C N 34 37 50 21/22 43 2.5 <= x % < 10

A009 13463-41-7 ZINC PYRIDINETHIONE T N 38 41 50 23 22 10 <= x % < 25

### Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

### Other substances with occupational exposure limits:

No known substance in this category present.

## 3 - IDENTIFICATION OF HAZARDS

This product is classed: Flammable.

Possibility of serious lesions to the eyes. Possibility of irritation to the skin.

Possibility of skin sensitisation. The preparation may also irritate the skin and prolonged contact may aggravate this effect. Possibility of noxious effects with symptoms of slight poisoning by inhalation, contact with the skin and swallowing. Very toxic to aquatic organisms.

## 4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing in an unconscious person.

### In the event of exposure by inhalation:

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still. If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor. Do not give the patient anything orally.

### In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment. If there is any redness, pain or visual impairment, consult an ophthalmologist.

### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners. If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor. Keep still. DO NOT induce vomiting. Consult a doctor and show him the label. Call a doctor immediately and show him the label.

## 5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.



**Suitable extinguishing media:**

Carbon dioxide, chemical powders, foams, and other extinguishing gases.  
In the event of fire, use specifically suitable extinguishing agents. Never use water.

**Extinguishing media which must not be used for safety reasons:**

Water is not generally recommended since it can be ineffective; however, it can be used successfully to cool containers exposed to the fire and to disperse fumes.

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

**Special protective equipment for fire-fighters:**

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## **6 - ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

On account of the organic solvents contained in the preparation, eliminate sources of ignition and ventilate the premises. Avoid inhaling the vapors. Avoid any contact with the skin and eyes.

Consult the safety measures listed under headings 7 and 8.

**Environmental precautions:**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

**Methods for cleaning up:**

Clean preferably with a detergent, do not use solvents.

## **7 - HANDLING AND STORAGE**

The regulations relating to storage premises apply to workshops where the product is handled.

Anyone with a history of skin sensitisation must on no account handle such products

**Handling:**

Handle in well-ventilated areas.

The vapors are denser than air. They can spread along the ground and form explosive mixtures with air

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

**Fire prevention:**

Prevent the accumulation of electrostatic charges with connections to earth

The preparation may become electrostatically charged; always place on the ground during transfer. Wear antistatic shoes and clothes and make floors of conductive materials.

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke. Prevent access by unauthorised personnel.

**Recommended equipment and procedures:**

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Packages which have been opened must be reclosed carefully and stored in an upright position

Avoid inhaling vapors. Product must not come into contact with the eyes

**Prohibited equipment and procedures:**

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

**Storage:**

Keep the container tightly closed in a dry, well-ventilated place

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

## **8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**



Use personal protection equipment as per Directive 89/686/EEC.

Anyone with a history of skin sensitisation must on no account handle such products.

**Technical measures:**

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

If this ventilation is insufficient to maintain the concentration of solvent vapors below the exposure limits, wear breathing apparatus

**Exposure limit values per INRS ND 2098-174-99 and ND 2114-176-99:**

France VME-ppm: VME-mg/m<sup>3</sup>: VLE-ppm: VLE-mg/m<sup>3</sup>: Notes: TMP N°:

8050-09-7 - 0,1 - - - 65,66

1330-20-7 50 221 100 442 \* 4 bis, 84 -

**Exposure limit values per 2006/15/CE, 2000/39/EC and 98/24/EC:**

EC VME-ppm: VME-mg/m<sup>3</sup>: VLE-ppm: VLE-mg/m<sup>3</sup>: Notes:

1330-20-7 50 221 100 442 Peau

**Exposure limit values (2003-2006):**

Germany/AGW AGW: AGW: Faktor: Bemerkungen:

1330-20-7 100 ml/m<sup>3</sup> 440 mg/m<sup>3</sup> 2(II) DFG, H

UK/WELs TWA: STEL: Ceiling: Definition: Criterion:

1330-20-7 50 ppm 100 ppm - - -

UK/OES TWA: STEL: Ceiling: Definition: Criterion:

1330-20-7 50 ppm 100 ppm - - -

ACGIH/TLV TWA: STEL: Ceiling: Definition: Criterion:

1330-20-7 100 ppm - - - -

**Respiratory protection:**

With this preparation, avoid in particular any inhalation of vapors.

**Hand protection:**

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

Due to the solvents present, it is recommended that neoprene rubber or nitrile rubber gloves be worn

**Eye and face protection:**

Avoid contact with the skin and eyes. Wear safety goggles

Provide eye washes in workshops where the product is constantly handled

**Skin protection:**

For further information, see § 11 of S.D.S. - Toxicological information.

## 9 - PHYSICAL AND CHEMICAL PROPERTIES

**General information:**

Physical state: viscous liquid

**Important health, safety and environmental information:**

pH of the substance or preparation: not relevant.

The pH is impossible to measure or its value is not relevant.

Boiling point/boiling range: 138 °C.

Flash point interval: 23°C. < Flash point: <= 55°C.

vapour pressure: Below 110 kPa (1.10 bar).

Density: > 1

water solubility: Insoluble.

**Other information:**

melting point/melting range: not relevant.

Self-ignition temperature: not relevant.

Decomposition point/decomposition range : not relevant.

## 10 - STABILITY AND REACTIVITY

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

## 11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Exposure to vapors from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as:

Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact



and absorption through the epidermis. Splashes in the eyes may cause irritation and reversible damage. It is generally agreed that substances contained are likely to cause significant irritation which lasts for at least twenty four hours after application to the healthy, unbroken skin of an animal for a period of up to 4 hours. It is generally agreed that substances contained are likely to cause, when applied to the eye of an animal, serious eye damage which persists for at least twenty-four hours. It is generally agreed that substances contained are likely to cause, among certain predisposed subjects, a sensitisation reaction by cutaneous route

## 12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.  
The product must not be allowed to run into drains or waterways.

### Ecotoxicity:

Very toxic to aquatic organisms.

## 13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

### Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.  
Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.  
Give to a certified disposal contractor.

## 14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).

UN1992=FLAMMABLE LIQUID, TOXIC, N.O.S.

ADR/RID Class Code Pack gr. Label Ident. LQ Provis.

3 FT1 III 3+6.1 36 LQ7 274

IMDG Class 2°Label Pack gr. LQ EMS Provis.

3 6.1 III 5 L F-E,S-D 223 274 944

Marine Pollutant PP

IATA Class 2°Label Pack gr. Passenger Passenger Cargo Cargo note

3 6.1 III 309 60 L 310 220 L A3

3 6.1 III Y309 2 L - - -

## 15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations. In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

### Preparation classification:

Harmful. Dangerous for the environment. Flammable.

### Contains:

601-022-00-9 XYLENE

650-015-00-7 ROSIN

A007 4,5 DICHLORO-2-N-OCTYL-4-ISOTHIAZOLE-3-ONE

A009 ZINC PYRIDINETHIONE

### Particular hazards associated with the preparation and safety recommendations:

R 50 Very toxic to aquatic organisms.

R 43 May cause sensitization by skin contact.

R 38 Irritating to skin.

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 10 Flammable.

R 41 Risk of serious damage to eyes.

S 1/2 Keep locked up and out of reach of children.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 29 Do not empty into drains.

S 36/37/39 Wear suitable protective clothing, gloves and eye/ face protection.



S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 46 If swallowed, seek medical advice immediately and show this container or label.

S 61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

S 13 Keep away from food, drink and animal feedingstuffs.

S 25 Avoid contact with eyes.

S 28 After contact with skin, wash immediately with plenty of ... (to be specified by the manufacturer ).

S 51 Use only in well ventilated areas.

S 64 If swallowed, rinse mouth with water (only if the person is conscious)

S 9 Keep container in a well-ventilated place.

S 20 When using do not eat or drink.

Marine Pollutant PP.

**Particular provisions:**

Tactile warning of danger.

**16 - OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of

knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

**Full text of risk phrases appearing in section 2:**

R 10 Flammable.

R 20/21 Harmful by inhalation and in contact with skin.

R 21/22 Harmful in contact with skin and if swallowed.

R 22 Harmful if swallowed.

R 23 Toxic by inhalation.

R 34 Causes burns.

R 37 Irritating to respiratory system.

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

R 43 May cause sensitization by skin contact.

R 50 Very toxic to aquatic organisms.